



Product certificate K104775/02

Issued 2020-10-01

Replaces K104775/01

Page 1 of 3

WC-pans

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

TURKUAZ SERAMIK SANAYI VE TICARET A.S.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

289171015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

TURKUAZ SERAMIK SANAYI VE TICARET A.S.
1.O.S.B. 6. CADDE NO:15
38070 MILIKGAZI/KAYSERI
Turkey
Tel. +90 352 321 2008
info@turkuazseramik.com.tr
www.turkuazseramik.com.tr

Certification process
consists of initial and
regular assessment of:

- quality system
- product



WC-pans

Technical specification

The products mentioned below belong to this certificate.

WC-pans using a nominal flush volume of 6 litres. The products mentioned are intended for connection with a (concealed) cistern, unless otherwise mentioned.

Wall-hung WC-pans

Model **City Asma**

Rimless wash down WC-pan no. 019100 with horizontal outlet;
with Cerastyle coating.

Model **Ibiza Asma**

Rimless wash down WC-pan wash no. 018900 with horizontal
outlet; Cerastyle coating

Model **HERA Asma**

Rimless wash down WC-pan no. 019700, with horizontal outlet;
With Cerastyle coating.

WC-pans

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of maximum 30 °C.

Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark shall be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;

For WC-pans approved at a nominal flush of 4 or/and 5 litres, only the word mark "Kiwa" is permitted.

- the letter A and or C which indicates the type of flushing device to be connected:
 - **A** intended for connection with a cistern (or concealed cistern)
 - **C** intended for connection with a pressure flush valve.

Example:

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or
- on one of the sides of the flushing rim or
- under the flushing rim of the WC bowl.

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans; between the attachment holes of the lavatory seat; on the side or under of the sides of the flushing rim;
- additional markings as specified in the European Standard EN997.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- TURKUAZ SERAMIK SANAYI VE TICARET A.S.

and, if necessary,

- Kiwa Nederland B.V.


Consult the supplier's processing guidelines for the proper storage and transport methods.

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

TURKUAZ SERAMIK

SANITARYWARE FACTORY/HEAD OFFICE, ORGANIZE SANAYII BOLGESI 6. CADDE NO.15 KAYSERI 38070, MELIKGAZI, Turkey

Product:

Ceramic Plumbing Fixtures

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

ASME A112.19.2-2018/CSA B45.1-18

File Number: 13109

Effective Date: December 2021

Void After: December 2026*


Chairman, Product Certification Committee





Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TURKUAZ SERAMIK

Effective Date: December 2021

File Number: 13109

Product: Ceramic Plumbing Fixtures

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.


Characteristics:

Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TURKUAZ SERAMIK

Effective Date: December 2021

File Number: 13109

Product: Ceramic Plumbing Fixtures

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org


Models

CeraStyle®

| Model Number | Description | Dimension |
|--------------|---------------------|----------------------------|
| 0013 | Wall Mount Lavatory | 17-3/8" x 11-1/4" x 5-3/4" |
| 0014 | Wall Mount Lavatory | 14-3/4" x 11-1/4" x 5-1/2" |
| 0015 | Countertop Lavatory | 19-5/8" x 9-7/8" x 4-1/2" |
| 0016 | Countertop Lavatory | 19-5/8" x 9-7/8" x 4-1/2" |
| 0019 | Wall Mount Lavatory | 18-1/4" x 18-1/2" x 6-1/2" |
| 0031 | Wall Mount Lavatory | 17-3/4" x 13-3/4" x 7" |
| 0078 | Wall Mount Lavatory | 23-3/4" x 19-1/2" x 7-3/8" |
| 0302 | Wall Mount Lavatory | 23-5/8" x 21" x 10-1/2" |
| 310 | Wall Mount Lavatory | 23-1/2" x 17-3/4" x 6-5/8" |
| 311 | Wall Mount Lavatory | 27-1/2" x 17-3/4" x 6-7/8" |
| 314 | Wall Mount Lavatory | 39-3/8" x 16-3/4" x 7-1/4" |
| 320 | Wall Mount Lavatory | 23-5/8" x 17-3/4" x 6-1/2" |
| 321 | Wall Mount Lavatory | 27-1/2" x 17-3/4" x 6-1/2" |
| 322 | Wall Mount Lavatory | 31-1/2" x 17-3/4" x 6-5/8" |
| 324 | Wall Mount Lavatory | 39-3/8" x 17-3/4" x 7-1/2" |
| 0325 | Wall Mount Lavatory | 41-1/4" x 17-3/4" x 6-3/4" |
| 333 | Wall Mount Lavatory | 31-1/4" x 14-7/8" x 6-1/2" |
| 370 | Wall Mount Lavatory | 18-7/8" x 18-3/4" x 7-1/8" |
| 371 | Wall Mount Lavatory | 23-5/8" x 18-7/8" x 7-1/4" |
| 0373 | Wall Mount Lavatory | 31-1/2" x 18-7/8" x 7-1/8" |
| 375 | Wall Mount Lavatory | 39-1/4" x 18-3/4" x 7-1/4" |
| 376 | Wall Mount Lavatory | 39-3/8" x 18-3/4" x 7-1/2" |
| 377 | Wall Mount Lavatory | 47-1/4" x 18-7/8" x 7" |
| 420 | Wall Mount Lavatory | 23-3/4" x 17-5/8" x 7" |
| 423 | Wall Mount Lavatory | 31-1/2" x 18-1/2" x 6-1/2" |
| 425 | Wall Mount Lavatory | 39-3/8" x 18-1/2" x 6-3/4" |

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TURKUAZ SERAMIK

Effective Date: December 2021

File Number: 13109

Product: Ceramic Plumbing Fixtures

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

| Model Number | Description | Dimension |
|--------------|---------------------|----------------------------|
| 439 | Wall Mount Lavatory | 39-1/4" x 14" x 7-1/2" |
| 675 | Wall Mount Lavatory | 33-1/8" x 17-1/2" x 6-3/4" |
| 683 | Wall Mount Lavatory | 33-1/2" x 18-5/8" x 6-1/2" |
| 787 | Wall Mount Lavatory | 29-3/4" x 16-1/4" x 7-1/4" |
| 800 | Wall Mount Lavatory | 29-7/8" x 18-1/4" x 6-1/2" |
| 805 | Wall Mount Lavatory | 39-3/4" x 18-1/4" x 6-1/2" |
| 810 | Wall Mount Lavatory | 25-1/2" x 18-7/8" x 6-1/2" |
| 812 | Wall Mount Lavatory | 31-1/2" x 19" x 6-1/2" |
| 0312 | Wall Mount Lavatory | 31-1/2" x 17-3/4" x 7" |
| 0440 | Wall Mount Lavatory | 39-1/2" x 14-3/4" x 7-5/8" |
| 0438 | Wall Mount Lavatory | 31-1/2" x 14-3/4" x 7-5/8" |
| 0437 | Wall Mount Lavatory | 25-1/2" x 12-1/2" x 7-3/8" |
| 0794 | Wall Mount Lavatory | 31-1/2" x 18-1/8" x 6-3/4" |

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* R 60155727
Blatt *Sheet* 0001

Ihr Zeichen *Client Reference* Unser Zeichen *Our Reference* 0010--60350377 004
Ausstellungsdatum *Date of Issue* 30.03.2021
(day/mo/yr)

Genehmigungsinhaber *License Holder*

TURKUVAZ SERAMİK SAN. VE TİC. A.Ş.
1.OSB. 6.CADDE NO:15
38070 KAYSERİ
Türkiye

Fertigungsstätte *Manufacturing Plant*

Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



Bauart geprüft
und überwacht

www.tuv.com
ID 1111236900

Geprüft nach *Tested acc. to*
EN 997:2018

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

WC-Becken und WC-Anlagen

Wand-Tiefspül-WC-Becken aus Sanitärporzellan mit freiem
Zulauf / Wall-hung wash down WC pan of vitreous china with
independent water supply

5

Beschreibung / description:

Serie / series: Cerastyle / Hera
Artikel-Nr. / Article No.: 019700
Typ/type / Untertyp/sub-type: CL 1 - 6 A (6,0 l)

Ersetzt Zertifikat / supersedes certificate: R 60155173

5

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



M. Walter

Dipl.-Ing. (FH) M. Walter

Anlage Fertigungsstättenliste
/Attachment List of Factories



R 60155727 0001

1 Turkuaz Seramik San. ve Tic. A.S.
Incesu OSB 1. Cadde No:15
38560 Kayseri
Turkey

2 TURKUAZ SERAMİK SAN. VE TİC. A.Ş.
1.OSB. 6.CADDE NO:15
38070 KAYSERİ
Turkey

Dieser Anhang ersetzt den Vorgänger vom/
This annex replaces the previous annex dated

Datum / Date 30.03.2021



Zertifizierungsstelle
/ Certification Body

A handwritten signature in blue ink, appearing to read "M. Walter".

Dipl.-Ing. (FH) M. Walter

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 60155728

Blatt *Sheet*
0001

| Ihr Zeichen <i>Client Reference</i> | Unser Zeichen <i>Our Reference</i> | Ausstellungsdatum <i>Date of Issue</i> | <i>Date of Issue</i> |
|-------------------------------------|------------------------------------|--|----------------------|
| | 0010--60350377 003 | 30.03.2021 | (day/mo/yr) |

Genehmigungsinhaber *License Holder*
TURKUAZ SERAMİK SAN. VE TİC. A.Ş.
1.OSB. 6.CADDE NO:15
38070 KAYSERİ
Türkiye

Fertigungsstätte *Manufacturing Plant*
Turkuaz Seramik San. ve Tic. A.S.
Incesu OSB 1. Cadde No:15
38560 Kayseri
Turkey

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
EN 997:2018

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

WC-Becken und WC-Anlagen

Wand-Tiefspül-WC-Becken aus Sanitärporzellan mit freiem
Zulauf / Wall-hung wash down WC pan of vitreous china with
independent water supply

5

Beschreibung / description:

Serie / series: Cerastyle / City
Artikel-Nr. / Article No.: 019100

Type/type / Untertyp/sub-type: CL 1 - 6 A (6,0 l)

Ersetzt Zertifikat / supersedes certificate: R 60155171

5

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



M. Walter
Dipl.-Ing. (FH) M. Walter