





STANDARD FEATURES

- 10-66 KVA
- SINGLE AXLE
- SCISSOR TYPE
- 2 PIECES OF 185X14 C TIRES
- 2 PIECES OF WHEELS
- FRONT SUPPORT LEG
- FIXED DRAWBAR
- WITH COLLISION AND HAND BRAKE
- UPPER PLATFORM WITH STEEL DECK
- 2 PIECES OF SUPPORT LEGS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- MAXIMUM LOAD CAPACITY 1250 KG

MODEL: JSR 02

STANDARD FEATURES

- 70-88 KVA
- SINGLE AXLE, SCISSOR TYPE
- 2 PIECES OF 6.50X16 OFF-ROAD TIRES
- 2 PIECES OF WHEELS
- FRONT SUPPORT LEG
- FIXED DRAWBAR
- WITH COLLISION AND HAND BRAKE
- UPPER PLATFORM WITH STEEL DECK
- 2 PIECES OF MUDGUARDS
- 2 PIECES OF SUPPORT LEGS
- EQUIPPED WITH ELECTRICAL INSTALLATION
 SUITABLE FOR HIGHWAYS
- MAXIMUM LOAD CAPACITY 1500 KG







STANDARD FEATURES

- 90-110 KVA
- SINGLE AXLE
- SCISSOR TYPE
- 2 PIECES OF 6.50X16 OFF-ROAD TIRES
- 2 PIECES OF WHEELS
- FRONT SUPPORT LEG
- FIXED DRAWBAR
- WITH COLLISION AND HAND BRAKE
- UPPER PLATFORM WITH STEEL DECK
- 2 PIECES OF MUDGUARDS
- 2 PIECES OF SUPPORT LEGS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- MAXIMUM LOAD CAPACITY 1800 KG

MODEL: JSR 001

STANDARD FEATURES

- 120-175 KVA
- SINGLE AXLE
- SCISSOR TYPE
- FRONT AXLE WITH 360 DEGREE ROTATION
- MECHANICAL COLLISION AND HAND BRAKE FROM DRAWBAR
- 4 PIECES OF 6.50X16 OFF-ROAD TIRES
- 4 PIECES OF WHEELS
- COLLISION BRAKING
- UPPER PLATFORM WITH STEEL DECK
- 4 PIECES OF MUDGUARDS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- 4 PIECES OF SUPPORT LEGS
- MAXIMUM LOAD CAPACITY 2500 KG







STANDARD FEATURES

- 200-275 KVA
- TANDEM AXLE
- SCISSOR TYPE
- FRONT AXLE WITH 360 DEGREE ROTATION
- MECHANICAL COLLISION AND HAND BRAKE FROM DRAWBAR
- 4 PIECES OF 6.50X16 OFF-ROAD TIRES
- 4 PIECES OF WHEELS
- COLLISION BRAKING
- UPPER PLATFORM WITH STEEL DECK
- 4 PIECES OF MUDGUARDS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- 4 PIECES OF SUPPORT LEGS
- MAXIMUM LOAD CAPACITY 3250 KG

MODEL: JSR 003

STANDARD FEATURES

- 300-450 KVA
- TANDEM AXLE
- SCISSOR TYPE
- FRONT AXLE WITH 360 DEGREE ROTATION
- MECHANICAL COLLISION AND HAND BRAKE FROM DRAWBAR
- 4 PIECES OF 7.50X16 OFF-ROAD TIRES
- 4 PIECES OF WHEELS
- COLLISION BRAKING
- UPPER PLATFORM WITH STEEL DECK
- 4 PIECES OF MUDGUARDS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- 4 PIECES OF SUPPORT LEGS
- MAXIMUM LOAD CAPACITY 4150 KG
- 4 PIECES OF SUPPORT LEGS









STANDARD FEATURES

- 490-775 KVA
- TANDEM AXLE
- SCISSOR TYPE
- FRONT AXLE WITH 360 DEGREE ROTATION
- MECHANICAL COLLISION AND HAND BRAKE FROM DRAWBAR
- 4 PIECES OF 7.50X16 OFF-ROAD TIRES
- 4 PIECES OF WHEELS
- COLLISION BRAKING
- UPPER PLATFORM WITH STEEL DECK
- 4 PIECES OF MUDGUARDS
- EQUIPPED WITH ELECTRICAL INSTALLATION SUITABLE FOR HIGHWAYS
- 4 PIECES OF SUPPORT LEGS
- MAXIMUM LOAD CAPACITY 5250 KG

OPTIONS

OPTIONS	MODELS IN USED	FEATURES	MAXIMUM LOAD CAPACITY (KG)
OP-1	300-450 KVA	FOR TRAILERS ABOVE 4 TONS, ADDITIONAL SUPPORT LEG DIFFERENCE FOR EACH 1 TON	4000 AND ABOVE
OP-2	200-775 KVA	FOR TRAILERS ABOVE 3 TONS, 1 PIECE OF NORMAL AXLE AND AIR BRAKE SYSTEM	3000 AND ABOVE

Our Quality Certificates























