



TYPE OF MACHINE :

**Tool grinding machine**

STOCK N°

**90124**

BRAND

**EWAG**

MODEL

**WS 11**

SERIAL N°

**7111-3000**

YEAR

**2007**

LOCATION

**73240 St-Genix-les-Villages,  
FRANCE**

[DIRECT LINK](#)





## TECHNICAL CHARACTERISTICS

*The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed*



## ADDITIONAL INFORMATION

### EQUIPMENT INCLUDED:

- x1 infeed Z-axis : Infeed operation, metric 4 E-M with position reading - ref: 111-2-10666
- x1 cross feed X-axis Fine cross feed 4 FQ-M - ref: 111-2-21708
- x1 grinding stroke 3H : operation of the grinding stroke either by lever or by hand wheel - ref : 111-2-15167 (WS11)
- x1 grinding spindle Q 36-12, complete 9 JKP
- x1 workhead spindle BP 60-25 with W25 collet reception
- x1 dust extraction unit
- x1 foot switch 9 M - operation of infeed Z-axis by foot pedal. Infeed stroke steplessly adjustable - ref : 111-2-15740
- x1 LED machine lamp 24V/2.6W
- x1 digital display 4DZ + X +Y-MZ + digital indications for axes Z, X and Y - ref : 111-2-47178
- x1 ISOMA microscope - optic from the front
- x1 ISOMA microscope - optic from the top
- x1 radius grinding attachment 25ABP - ref : 111-2-23294
- x1 dividing head TS20 (6°) for radius grinding attachment 20ABP/25ABP - ref : 111-2-42192
- x1 Touch-Test TT acoustic touch control (grinding wheel to workpiece) - ref : 56-4050
- x1 Headset TT-K Stereo - ref : 56-4755
- x1 balancing attachment 9X - for statically balancing grinding wheels - ref : 111-2-15754
- x1 setting gauge 9N - for accurate orientation of single lip cutters - ref : 111-2-44498

*The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed*

